



# everyone's favourite flooring







## Welcome to our world www.krono-original.com

■ Features guide	07

■ Design and surface textures 09

#### Collections



VINTAGE	10
ATLANTIC 8	14
ART COLLECTION	18
EASY TOUCH GLOSS	20
H <sub>2</sub> O TILE	22
SUPER NATURAL CLASSIC	26
KRONOWALL 3D	30
ENVIRONMENT	32
PRODUCT SUMMARY	34

## Everyone's favourite flooring.

From classic to modern, there will always be a floor that is to your taste.



Elegant floors and walls. Aesthetically pleasing and high quality. Available in 44 attractive designs to give your surroundings a unique flair. Let yourself be inspired by the diversity of KronoOriginal® floors.





### Features at a glance.

#### **GUARANTEE\*\***

All KronoOriginal® laminate floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product (detailed terms of guarantee: www.krono-original.com).

#### STAIN AND IMPRINT RESISTANT

Whatever you might spill, whether red wine, oil or coffee, don't panic; it can be easily removed. KronoOriginal® is also abrasion resilient, robust and durable.

#### **ECO FRIENDLY**

All KronoOriginal® floors are environmentally friendly as standard, made of up to 90% wood sourced from sustainably managed forests. What's more, the entire production chain – from raw materials to the finished product – has been certified and is regularly inspected by independent experts, ensuring peace of mind for you – and protection of our environment.

#### A.B.C. ANTI BACTERIAL COATING

Keeping floors clean and free of bacteria is in everybody's interests, helping suppress allergies and prevent illness. The Anti Bacterial Coating on our flooring has exceeded the international standard ISO 22196:2011, confirming that it inhibits the growth of microorganisms. Staphylococcus aureus and Escherichia coli germs were reduced by 99.9 % within 24 hours.

#### **AUTHENTIC EMBOSSED**

The high quality Authentic Embossed structures feature elegant contrasting and a thrilling multi-gloss effect that emphasises the depth of the structure with matt and gloss elements that reflect the light differently. The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.

#### **HANDSCRAPED**

A breathtakingly elegant and realistic oiled finish, with gentle irregular undulations, inspired by traditional Amish craftsmanship. The soft matt surface replicates the hardwood area of solid flooring gently polished over time due to footfall. Meanwhile the deep matt pores are highlighted with glossy accents.

#### MICROSCRATCH PROTECT

This especially durable surface will protect your floors even better against micro-scratches through heavy use. With Microscratch Protect, your flooring will be well-protected against fine scratches and everyday wear and tear.

#### INSTALLATION

The KronoOriginal® installation systems have been specifically designed to make fitting your laminate flooring as easy and hassle free as possible. The click profiles allow individual panels to be joined together quickly with minimal tools or complications.









### The look and feel of real wood.

The latest KronoOriginal® collection is our widest-ever range of new decors; they comprise trends, and new surface textures and finishes inspired by leading designers. We constantly work to develop our products, creating new unique decors with perfectly matched wood and stone textures and panels of different sizes.





## AC4 | Class 32 A timeless combination.

thickness 10 mm


format 1285 x 192 mm

coverage 1.73m² per pack

1clic 2go pure lock

30 years guarantee\*

- 4 sided v-groove
- A.B.C Anti bacterial coating\*\*
- Microscratch protect
- Authentic embossed
- Eco-friendly natural wood













<sup>\*</sup> Detailed terms of guarantee: www.krono-original.com \*\* Tested germs: Staphylococcus aureus





















## The laminate floor that can simply do more.

#### 48 hours of splash-water protection

- Thanks to MO.RE! technology, floors are more resistant to moisture. And that's a good thing. After all, minor everyday mishaps happen to all of us.

#### **Protection from microscratches**

- the robust and hard-wearing surface masters the everyday challenges of modern family life

#### Antibacterial comfort inhibits the growth<sup>1</sup>

- of bacteria on the floor and protects you and your loved ones from unpleasant surprises.

#### **Lightfast and colorfast**

- no fading if exposed to sunlight according to level 6, the highest on the blue wool scale

#### Pet proof

- thanks to their robust surface, MO.RE! technology and the antibacterial comfort, Atlantic floors are eminently suitable for households with pets














## AC4 | Class 32

### The laminate floor that can simply do more.

thickness 8 mm

1285 x 192 mm format

coverage 2.22m<sup>2</sup>

lock 1clic 2go pure

- 20 years guarantee\*
- 4 sided v-groove
- A.B.C Anti bacterial coating\*\*
- Authentic embossed¹
- Pet proof
- Eco-friendly natural wood



















<sup>\*</sup> Detailed terms of guarantee: www.krono-original.com \*\* Tested germs: Staphylococcus aureus 1) Selected decors



## AC4 | Class 32 A master class in design

thickness 12 mm

format 1285 x 192 mm

1.48m<sup>2</sup> coverage

lock 1clic 2go pure

- 20 years guarantee\*
- 4 sided v-groove
- A.B.C Anti bacterial coating\*\*
- Eco-friendly natural wood








- **K279 Westside Oak** - Planked, Grained Timber (GT)









<sup>\*</sup> Detailed terms of guarantee: www.krono-original.com \*\* Tested germs: Staphylococcus aureus



## AC4 | Class 32 High gloss. High life.

thickness 8 mm

format 1383 x 159 mmcoverage 2.20m² per pack


lock Fold down


- 30 years guarantee
- 4 sided v-groove
- High gloss finish
- Eco-friendly natural wood













## The laminate flooring that's not afraid of water

#### 100 h+ splash-water protection guaranteed\*

- When it comes to the little accidents of everyday life, with H<sub>2</sub>O Floor, you can relax and calmly mop up the liquid. You can rest in the complete assurance that little mishaps won't turn into big disasters.

#### O.R.C.A - Organic Rigid Coreboard antistatic 1

- Our O.R.C.A. board is organic because it consists of compounds based on biological raw materials and organicchemical binding agents (synthetic resins).

#### CO<sub>2</sub>-neutral

- H<sub>2</sub>O Floor is CO<sub>2</sub>-neutral because manufacturing O.R.C.A. releases less CO<sub>2</sub> than was stored by the tree.

#### **PVC** free

- H<sub>2</sub>O flooring contains no PVC.

#### **Antibacterial Coating**<sup>2</sup>

- gives bacteria no chance to grow. With periodic cleaning, you and your family can enjoy everyday life without a care.

#### Pet proof

- Thanks to its antibacterial Microscratch Protect surface, which is also undaunted by small mishaps, H2O Floor is exceptionally wellsuited for life with house pets.












<sup>\* 24</sup> h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.100hour-test.com 1) Consists of natural wood and an organic chemical binder. 2) Tested germs: Staphylococcus aureus.



## AC5 | Class 33 100 h+ splashwater protection guaranteed.\*

thickness 8 mm

635 x 327 mm format


2.28m<sup>2</sup> per pack coverage

1clic 2go pure lock

- 30 years guarantee<sup>1</sup>
- O.R.C.A moisture defense technology<sup>2</sup>
- 4 sided v-groove
- A.B.C Anti bacterial coating<sup>3</sup>
- Microscratch protect
- Anti-static
- Light-resistant<sup>4</sup>
- Pet proof
- Eco-friendly natural wood









<sup>\* 24</sup> h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.100hour-test.com

<sup>1)</sup> The guarantee is valid for domestic use according to the conditions of guarantee.

<sup>2)</sup> Consists of natural wood and an organic chemical binder.
3) Tested germs: Staphylococcus aureus.
4) According to Level 6 of the Blue Wool Scale (method for

calculating light resistance).



## AC4 | Class 32 A new depth of realism.

thickness 8 mm


format 1285 x 192 mm

2.22m<sup>2</sup> coverage

lock 1clic 2go pure

- 20 years guarantee\*
- 4 sided v-groove
- A.B.C Anti bacterial coating\*\*
- Authentic embossed¹
- Eco-friendly natural wood











<sup>\*</sup> Detailed terms of guarantee: www.krono-original.com \*\* Tested germs: Staphylococcus aureus 1) Selected decors
































## Turns a wall into a feature.

thickness 12 mm

**format** 1296 x 132 mm

coverage 1.37m<sup>2</sup>

- Easy installation
- Can be fitted uniform, staggered or 'random'
- Easy clean, low maintenance
- Heat and moisture resistant
- Suitable for bathrooms\*
- Suitable for built-in lighting
- Can be used to conceal cables for TV and other appliances








<sup>\*</sup>Not for use in shower cubicles / behind shower head

## For your habitat, and for the environment.



Only wood from sustainably managed forests. Resource-efficient production. All of this amounts to an expression of a love that goes beyond numerical values: our love of nature.



Code	Decor	Texture	Authentic Embossed	Handscraped	Size	Pack Coverage	Panels Per Pack	AC Rating
Vintage								
K413	Blackwater Oak	Old English Oak (OE)	Yes	-	1285 x 192 x 10mm	1.73m²	7	32
K414	Corsair Oak	Old English Oak (OE)	Yes	-	1285 x 192 x 10mm	1.73m²	7	32
K475	Virgin Scandi Larch	Vintage Hickory (VS)	Yes	-	1285 x 192 x 10mm	1.73m²	7	32
K478	Mushroom Carpenter Oak	Carpenter Mill Oak (CM)	Yes	-	1285 x 192 x 10mm	1.73m²	7	32
5537	Tawny Chestnut	Rustic Chestnut (RC)	Yes	-	1285 x 192 x 10mm	1.73m²	7	32
5943	Natural Hickory	Vintage Hickory (VH)	Yes	Yes	1285 x 192 x 10mm	1.73m²	7	32
5947	Historic Oak	Historic Oak (HO)	Yes	Yes	1285 x 192 x 10mm	1.73m²	7	32
8155	Appalachian Hickory	Vintage Hickory (VH)	Yes	Yes	1285 x 192 x 10mm	1.73m²	7	32
8156	Red River Hickory	Vintage Hickory (VH)	Yes	Yes	1285 x 192 x 10mm	1.73m²	7	32
Atlantic	8							
K392	Atomic Oak	Royal Oak (RO)	Yes	-	1285 x 192 x 8mm	2.22m²	9	32
K450	Firebrand Oak	Historic Oak (HO)	Yes	-	1285 x 192 x 8mm	2.22m²	9	32
K451	Silverdale Oak	Historic Oak (HO)	Yes	-	1285 x 192 x 8mm	2.22m²	9	32
K461	Antique Volcano Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m²	9	32
K469	Tortilla Cashmere Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m²	9	32
K480	Colonial Heritage Chestnut	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m²	9	32
Art Colle	ection							
K279	Westside Oak	Grained Timber (GT)	-	-	1285 x 192 x 12mm	1.48m²	6	32
4369	Dartmoor Oak	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m²	6	32
5542	Boulder Oak	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m²	6	32
5946	Rockford Oak	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m²	6	32
7658	Dark Walnut	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m²	6	32
8215	Ponderosa Pine	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m²	6	32
K413	Mushroom Carpenter Oak	Rustic (RF)	-	-	1285 x 192 x 12mm	1.48m²	6	32
H <sub>2</sub> O Tile								
1526	Yukon Slate	Oiled Slate (OS)	Yes	-	635 X 327 X 8mm	2.28m²	11	33
1528	Submarine Slate	Antique Stone (AS)	-	-	635 X 327 X 8mm	2.28m²	11	33
Easy To	uch							
O251	Fresco Snow	High Gloss (HG)	-	-	1383 x 159 x 8mm	2.20m²	10	32
O522	Oak Uptown	High Gloss (HG)	-	-	1383 x 159 x 8mm	2.20m²	10	32
O580	Oak Posino	High Gloss (HG)	-	-	1383 x 159 x 8mm	2.20m²	10	32
O631	Maple Velvet	High Gloss (HG)	-	-	1383 x 159 x 8mm	2.20m²	10	32
	atural							
K375	Tomahawk Oak	Rustic (RF)	-	-	1285 x 192 x 8mm	2.22m²	9	32
K482	Twilight Sterling Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m²	9	32
K483	Antique Sterling Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m²	9	32
K484	Misty Sterling Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m²	9	32
K485	Natural Sterling Oak	Nature Line (NL)	-	-	1285 x 192 x 8mm	2.22m²	9	32
4369	Dartmoor Oak	Rustic (RF)	-	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
5541	Bedrock Oak	Hand Carved (HC)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
5543	Colorado Oak	Hand Carved (HC)	Yes		1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
5542	Boulder Oak	Hand Carved (HC)	Yes	-	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
5946	Rockford Oak	Nature Line (NL)	-	_	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
5985	Sherwood Oak	Grained Timber (GT)	_	_	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
8274	Modena Oak	Rustic (RF)		_	1285 x 192 x 8mm	2.22m <sup>2</sup>	9	32
			Voo					
8573	Harlech Oak	Living Pore (LP)	Yes		1285 x 192 x 8mm	2.22m²	9	32
8575	Blonde Oak	Living Pore (LP)	Yes	-	1285 x 192 x 8mm	2.22m²	9	32
8631 8633	Castle Oak	Living Pore (LP)	Yes	-	1285 x 192 x 8mm 1285 x 192 x 8mm	2.22m² 2.22m²	9	32 32
	Shire Oak	Living Pore (LP)	Yes					37

Code	Decor	Texture	Authentic Embossed	Handscraped	Size	Pack Coverage	Panels Per Pack	3D Effect
Kronowal	I 3D							
K060	Alabaster Barnwood	1285 x 192 x 10mm	Yes	-	1296 x 132 x 12mm	1.37m²	8	Yes
K061	Rusty Barnwood	1285 x 192 x 10mm	Yes	-	1296 x 132 x 12mm	1.37m²	8	Yes

<sup>\*</sup> Flooring will be supplied in branded packaging indicated in the chart above \*\* According to the conditions of guarantee (detailed terms of guarantee: www.krono-original.com) 1) Tested germs: Staphylococcus aureus 2) Not for use in shower cubicles / behind shower head

#### PRODUCT SUMMARY

Abrasion Class	Guarantee**	Aquastop Moisture Protection	Splash- water protection	Anti Bacterial Coating¹	Joint	V-groove	FSC <sup>®</sup>	PEFC®	Packaging* Supplied
AC4	30 years	Yes	-	Yes	1clic 2go Pure	Yes	/		KronoOriginal
AC4	30 years	Yes	-	Yes	1clic 2go Pure	Yes	/	-	KronoOriginal
AC4	30 years	Yes	-	Yes	1clic 2go Pure	Yes	-	1	KronoOriginal
AC4	30 years	Yes	-	Yes	1clic 2go Pure	Yes	-	1	KronoOriginal
AC4	30 years	Yes	-	Yes	1clic 2go Pure	Yes	1	-	KronoOriginal
AC4	30 years	Yes	-	Yes	1clic 2go Pure	Yes	-	1	KronoOriginal
AC4	30 years	Yes	-	Yes	1clic 2go Pure	Yes	1	-	KronoOriginal
AC4	30 years	Yes	-	Yes	1clic 2go Pure	Yes	✓	-	KronoOriginal
AC4	30 years	Yes	-	Yes	1clic 2go Pure	Yes	1	-	KronoOriginal
AC4	20 years	Yes	48 hr	Yes	1clic 2go Pure	Yes	/	-	KronoOriginal
AC4	20 years	Yes	48 hr	Yes	1clic 2go Pure	Yes	/	-	KronoOriginal
AC4	20 years	Yes	48 hr	Yes	1clic 2go Pure	Yes	/	-	KronoOriginal
AC4 AC4	20 years	Yes	48 hr	Yes	1clic 2go Pure	Yes	/	-	KronoOriginal
AC4 AC4	20 years	Yes Yes	48 hr 48 hr	Yes Yes	1clic 2go Pure	Yes Yes	/	-	KronoOriginal  KronoOriginal
A04	20 years	res	46 111	162	1clic 2go Pure	162	/		KronoOriginal
AC4	20 years	Yes	-	Yes	1clic 2go Pure	Yes	/		Euro Home
AC4	20 years	Yes	-	Yes	1clic 2go Pure	Yes	/	-	Euro Home
AC4	20 years	Yes	-	Yes	1clic 2go Pure	Yes	/	-	Euro Home
AC4	20 years	Yes	-	Yes	1clic 2go Pure	Yes	/	-	Euro Home
AC4	20 years	Yes	-	Yes	1clic 2go Pure	Yes	/	-	Euro Home
AC4	20 years	Yes	-	Yes	1clic 2go Pure	Yes	/	-	Euro Home
AC4	20 years	Yes	-	Yes	1clic 2go Pure	Yes	1	-	Euro Home
AC5	30 years	Yes	100 h+	Yes	1clic 2go Pure	Yes	-	1	H <sub>2</sub> O Floors
AC5	30 years	Yes	100 h+	Yes	1olio 2go Duro	Voo		✓	H <sub>2</sub> O Floors
	•	.00	100111	163	1clic 2go Pure	Yes	-	<u> </u>	1120 110013
404	,								
AC4	30 years	Yes	-	Yes	Fold down system	Yes	-	1	Kaindl
AC4	30 years	Yes Yes	-	Yes Yes	Fold down system Fold down system	Yes Yes	-	<i>J</i>	Kaindl Kaindl
AC4 AC4	30 years 30 years	Yes Yes Yes	-	Yes Yes Yes	Fold down system Fold down system Fold down system	Yes Yes Yes	-	/ /	Kaindl Kaindl Kaindl
AC4	30 years	Yes Yes	-	Yes Yes	Fold down system Fold down system	Yes Yes		<i>J</i>	Kaindl Kaindl
AC4 AC4 AC4	30 years 30 years 30 years	Yes Yes Yes Yes	-	Yes Yes Yes Yes	Fold down system Fold down system Fold down system Fold down system	Yes Yes Yes Yes	-	/ /	Kaindl Kaindl Kaindl Kaindl
AC4 AC4 AC4 AC4	30 years 30 years 30 years 20 years	Yes Yes Yes Yes Yes	-	Yes Yes Yes Yes Yes	Fold down system Fold down system Fold down system Fold down system 1clic 2go Pure	Yes Yes Yes Yes Yes Yes		/ /	Kaindl Kaindl Kaindl Kaindl KronoOriginal
AC4 AC4 AC4 AC4 AC4	30 years 30 years 30 years 20 years 20 years	Yes Yes Yes Yes Yes Yes Yes	-	Yes Yes Yes Yes Yes Yes Yes	Fold down system Fold down system Fold down system Fold down system 1clic 2go Pure 1clic 2go Pure	Yes Yes Yes Yes	-	, , , , , , , , , , , , , , , , , , ,	Kaindl Kaindl Kaindl Kaindl KronoOriginal KronoOriginal
AC4 AC4 AC4 AC4 AC4 AC4	30 years 30 years 30 years 20 years 20 years 20 years	Yes Yes Yes Yes Yes Yes Yes Yes Yes	-	Yes Yes Yes Yes Yes Yes Yes Yes Yes	Fold down system Fold down system Fold down system Fold down system 1clic 2go Pure	Yes Yes Yes Yes Yes Yes Yes Yes Yes		,	Kaindl Kaindl Kaindl Kaindl KronoOriginal KronoOriginal KronoOriginal
AC4 AC4 AC4 AC4 AC4	30 years 30 years 30 years 20 years 20 years	Yes Yes Yes Yes Yes Yes Yes	-	Yes Yes Yes Yes Yes Yes Yes	Fold down system Fold down system Fold down system Fold down system 1clic 2go Pure 1clic 2go Pure 1clic 2go Pure	Yes Yes Yes Yes Yes Yes Yes			Kaindl Kaindl Kaindl Kaindl KronoOriginal KronoOriginal
AC4 AC4 AC4 AC4 AC4 AC4 AC4	30 years 30 years 30 years 20 years 20 years 20 years 20 years	Yes	-	Yes	Fold down system Fold down system Fold down system Fold down system  1clic 2go Pure 1clic 2go Pure 1clic 2go Pure 1clic 2go Pure	Yes			Kaindl Kaindl Kaindl Kaindl KronoOriginal KronoOriginal KronoOriginal KronoOriginal
AC4 AC4 AC4 AC4 AC4 AC4 AC4 AC4	30 years 30 years 20 years 20 years 20 years 20 years 20 years 20 years	Yes	-	Yes	Fold down system Fold down system Fold down system Fold down system  1clic 2go Pure	Yes	· · · · · · · · · · · · · · · · · · ·		Kaindl Kaindl Kaindl Kaindl KronoOriginal KronoOriginal KronoOriginal KronoOriginal KronoOriginal
AC4 AC4 AC4 AC4 AC4 AC4 AC4 AC4 AC4	30 years 30 years 30 years 20 years 20 years 20 years 20 years 20 years 20 years	Yes	-	Yes	Fold down system Fold down system Fold down system Fold down system  1clic 2go Pure	Yes	· · · · · · · · · · · · · · · · · · ·		Kaindl Kaindl Kaindl Kaindl KronoOriginal KronoOriginal KronoOriginal KronoOriginal KronoOriginal
AC4	30 years 30 years 30 years 20 years	Yes	-	Yes	Fold down system Fold down system Fold down system Fold down system 1clic 2go Pure	Yes	· · · · · · · · · · · · · · · · · · ·		Kaindl Kaindl Kaindl Kaindl KronoOriginal KronoOriginal KronoOriginal KronoOriginal KronoOriginal KronoOriginal KronoOriginal
AC4	30 years 30 years 30 years 20 years	Yes	-	Yes	Fold down system Fold down system Fold down system Fold down system Tolic 2go Pure 1clic 2go Pure	Yes	· · · · · · · · · · · · · · · · · · ·		Kaindl Kaindl Kaindl Kaindl KronoOriginal KronoOriginal KronoOriginal KronoOriginal KronoOriginal KronoOriginal KronoOriginal KronoOriginal KronoOriginal
AC4	30 years 30 years 30 years 20 years	Yes	-	Yes	Fold down system Fold down system Fold down system Fold down system Tolic 2go Pure 1clic 2go Pure	Yes			Kaindl Kaindl Kaindl Kaindl Kaindl KronoOriginal
AC4	30 years 30 years 30 years 20 years	Yes	-	Yes	Fold down system Fold down system Fold down system Fold down system  1clic 2go Pure	Yes			Kaindl Kaindl Kaindl Kaindl Kaindl KronoOriginal
AC4	30 years 30 years 30 years 20 years	Yes	-	Yes	Fold down system Fold down system Fold down system Fold down system  1clic 2go Pure	Yes			Kaindl Kaindl Kaindl Kaindl Kaindl KronoOriginal
AC4	30 years 30 years 30 years 20 years	Yes	-	Yes	Fold down system Fold down system Fold down system Fold down system  1clic 2go Pure	Yes			Kaindl Kaindl Kaindl Kaindl Kaindl KronoOriginal
AC4	30 years 30 years 30 years 20 years	Yes	-	Yes	Fold down system  1clic 2go Pure	Yes			Kaindl Kaindl Kaindl Kaindl Kaindl KronoOriginal
AC4	30 years 30 years 30 years 20 years	Yes	-	Yes	Fold down system  1clic 2go Pure	Yes			Kaindl Kaindl Kaindl Kaindl Kaindl KronoOriginal
AC4	30 years 30 years 30 years 20 years	Yes	-	Yes	Fold down system Fold down system Fold down system Fold down system  1clic 2go Pure	Yes			Kaindl Kaindl Kaindl Kaindl Kaindl Kaindl KronoOriginal
AC4	30 years 30 years 30 years 20 years	Yes		Yes	Fold down system Fold down system Fold down system Fold down system  1clic 2go Pure	Yes			Kaindl Kaindl Kaindl Kaindl Kaindl KronoOriginal
AC4	30 years 30 years 30 years 20 years	Yes		Yes	Fold down system  1clic 2go Pure	Yes			Kaindl Kaindl Kaindl Kaindl Kaindl KronoOriginal











www.krono-original.com www.facebook.com/KronoOriginal

Retailer:	